

2

DÉCOMPACTEUR



1

SEMOIR

2

DÉCOMPACTEUR

3

CULTIVATEUR

4

COVER CROP


5

CHARRUE


2.1

Système de décompactage

SYSTÈME DE DÉCOMPACTAGE DE 800



+
Creuse la terre sans la retourner, en laissant la couche végétale pratiquement intacte



800

Réf.	— —	Grs.		A	B	C	M
15010-A D CA	15	23.200	40	300	820	80	15015T
15010-A I CA	15	23.200	40	300	820	80	15015T
15010-B D CA	15	23.200	40	300	820	80	15015T
15010-B I CA	15	23.200	40	300	820	80	15015T
15008-A D CA	8	5.050	200	295	295	80	15015T
15008-A I CA	8	5.050	200	295	295	80	15015T
15008-B D CA	8	7.830	130	295	465	80	15015T
15008-B I CA	8	7.830	130	295	465	80	15015T
15009	40x60	7.200	135	40	580	80	15015-T
15009-MA	40x50	3.800	250	60	314	80	15009-KIT
15009-PA		1.850	575	67	147	58	15009-KIT
15009-PC		1.850	500	67	147	58	15009-KIT
15009-KIT		65	5.000				
15015-T		300	2.000				

15009: Ambidextre.

PC: Tête interchangeable cimentée (62 HRC).

15015-T est composé de: 2 boulons 1199B1440AESP, 2 goujons de 16 x 60 mm, 2 goujons de 10 x 60 mm et une bague de 30 mm.

15010-A



15008-A




15008-B




15009



15009 MA - PA



SYSTÈME DE DÉCOMPACTAGE DE 600



+
Creuse la terre sans la retourner, en laissant la couche végétale pratiquement intacte



600

Réf.		Grs.		A	B	C	M
15010-600 A D CA	12	8.630	100	160	600	85	15009-600-KIT
15010-600 A I CA	12	8.630	100	160	600	85	15009-600-KIT
15008-600 A D CA	8	2.900	300	230	200	85	15009-600-KIT
15008-600 A I CA	8	2.900	300	230	200	85	15009-600-KIT
15009-600-KIT		250	2.000				
15009-600 A	40x50	5.000	170	40	532	85	15009-600-KIT

15009: Ambidextre.

15009-600 KIT est composé de: 2 boulons 1199B1440, 2 goujons de 14 x 50 mm, 2 goujons de 5 x 50 mm et une bague de 30 mm.

15010-600



15008-600




15009-600 A



15009-600 KIT



MASCHIO GASPARDO ARTIGLIO



Maschio Gaspardo

Réf d'origine	Réf.	— —	A	B	C	Dent	Grs.			F
R17620860	1494 D	10	237	145	56		1.680	24	1.848	360
R17620870	1494 I	10	237	145	56		1.680	24	1.848	360
R17820061	15101 SA		70	345	230		4.250		100	100
R17820661	15101 PA	20	70	460	90-110	35	5.800		100	100
	15101 PB	20	70	460	90-110	30	5.700		100	100
	15101 PC	20	70	460	90-110	32	5.700		100	100
	15101 PD	20	70	460	90-110	40	5.700		100	100
R17622960	15101 PG	20	70	460	60-78	35	5.870		100	100